## Approved For Release 2009/08/04: CIA-RDP80T00246A010200560001-6 INFORMATION DEPORT INFORMATION ATRAL INTELLIGENCE AGENCY This material contains information, affecting the National Defect of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation with in any manner to an unauthorized person is prohibited by law. COUNTRY Czachoslovaldia 25X1 REPORT Road Data/Bridges SUBJECT DATE DISTR. 12 April 60 NO. PAGES 2 25X1 DATE OF INFO. 25X1 PLACE & DATE ACQ THIS IS UNEVALUATED INFORMATION 25X1 ı. During 1959。 traveled to Czechoglovelda and vis-25X1 ited Velke Sankvice, a village which is located approximately 20 bilometers northeact of Bratislava. After covered days in Velke Sembyice 25X1 to Tatra Lamies in the Tetre nountains. routes from the Tatra mountains back to Velke Sankvice was from 25X1 Benska Bystrica via Zvolen, Nitra and Traeva. traveled on a hard sur-25X1 face, all weather read [1924] which was over two lones wide. This read is considered to be a first class highway in Czechoslovakie. The read had a good solid foundation. However, in some sections along this route the top layer consisted of ter bound macadam end in some it was concrete surfaced. The highway is capable of bearing heavy usage. Very few cars were seen on this route. However, Skode-type trucks but 25X1 what they hauled was not visible because they were terpoulin covered.

The section of the road between Bansha Bystrics and Nemce ran couthnard parallel to the Broa River which flows from the north, southward and in a

valley with hills on both sides of the road. However, the roads between Memoco to Velke Sankvice through Witra and Transva run through very shallow rolling hills.

During this drive between Banska Bystrica and Valke Senkvice six bridges. The first steel-concrete constructed bridge is located at Brasks Bystrica. The bridge was constructed from heavy usage, is over two lance wide, and crosses the Bron river which flows from the northeast conthrard through Benefia Bystirica.

25X1

The second bridge is located at Vieska which also crosses over the Eron river. It is a steel constructed bridge reinforced with concrete, over two lenes vide end in good condition. It could absorb beavy usage. A third bridge is located approximately five bilometers north of Zarnovica. This bridge is also steel constructed and reinforced with concrete. It is over two lenes wide and is able to boar heavy traffic. It also crosses the firm River which flows from north to south. CAW P T D P R R T A T

				-Colles of end	Z-MoToToW-P	
STATE	ARMY	NAVY	AIR	FBI	AEC	
					-	

ÍÑFÓRMATION REPORT INFORMATION

NO DISSEM ABROAD LIMITED Dissemination limited to full-time employees of CIA, AEC and FBI; and, within State and Defense, to the intelligence components, other offices producing NIS elements, and higher echlons with their immediate supporting staffs. Not to be disseminated to consultants, external projects or reserve personnel on short term active duty (excepting individuals who are normally full-time employees of CIA, AEC, FBI, State or Defense) unless the written permission of the originating office has been obtained through the Assistant Director for Central Reference, CIA.

COM-T-LA-H-T-L-A-L

'25X'

- The flexible steel-consists sinstructed bridge is located in Zarnevica.
  The bridge crosses a small stream which flows eastward into the Bron River. The bridge is over two lanes wide and is able to absorb heavy used. The fifth steel-concrete constructed bridge is located in the sestem suburb section of Ritra. The bridge crosses the Ritra River which flows from the north southward. The bridge was also constructed for heavy usage and is over two lanes wide. A sixth steel-concrete computanted bridge is located between Sintava and Sered. It crosses the Vali River which flows from north to south. The bridge is over two lanes wide and is able to bear heavy traffic. All six bridges are in good condition.
- 8. A loose surface, all weather road \$\frac{19097}{9097}\$ runs from Sarna north northeast to Velke Senkvice, The road has a fairly good foundation. The top layer is gravel surfaced with sand. The road is over one lane in width and occasionally is able to bear heavy traffic.
- 9. A number of loose surface, dry weather dirt roads [4935] run in the vicinity of Velke Sankvice and Sarna. The dirt roads are over one lane in width and have a natural foundation of clay and dirt. The dirt roads am over level terrain and occasionally are able to bear heavy traffic.

25X1

- end -

C-O-N-F-I-D-E-N-T-I-A-L No Dissem Abroad

Norom

Limited

Kosiolany

## MIDDLE DANUBE 1:100,000 SHEET W-13 ZVOLEN

AMS SERIES I	9671
THIRD EDITIO	ON-AMS
bet declared a ST and a second at the LEGGEND	La adoption de residence per les accesses actual de l'écoles de l'écoles de l'actual de l'écoles de l'écoles de l'écoles de l'actual de l'écoles de l'
Budosolinina (Maland Minis Pigland) Costoog voor sook pendet and ( K or soft	The section of the se
Considing years with roof patient where became	Josephin, no saline) and crimina, man in crimina stephen
the red also	T Designer
Status will not enabled a second	Encourage on your Company of matter on the de larger
One day had thought and 5 to sell	Administration Of Phone and See States Street
Secretary Street, Secretary Street 24 ms (effect) Other transfer and Section (effect) And design including cylindra proceeding.	From parables (Balladels enjords 24 often is impa- sion lines of stands planetes Balladels of stands of security and organise
Male School and prevent pupil of traces left	- Drawing the Conference of the Control of the Cont
falsey Sept text be only page with star, fall	
Distriction pup their for the six officed an analysis	Donate for the larger display transport to professionated even grow, so the
hoey the cutules	Broken to the December of the Company of the Compan
Manager Species	Landing
Manual, Markel, Markell D. G. 3	
South Street Springer Street.	Eater consults carrier and under
Debrigson Dank Bross Spaper, 1976	Print Name To. Calca servedo, sportero pre-
Bang Day of Good or Sort pd	de de de se de perfora procede
Bridge day, Tree, Broad	the fills a TEF to second
Pet Days with nel Page date:	Cuffice had been been about a basiner
treety document on thicks	Condition absolute of account them
Bodad Baland	Andre Proposition
Reput School	Note once
for tree.	Total according
For school to relate, for home a potentians,	And providence & contrary, is always to be last

	GLOSSARY	
office cyline this have have have have have have have have	Margist valide valide becape i respont manimum enorth, pay mared sale sporting in the sale sporting in the sale sporting margin	Weller'd Verland

INDEX 10	ADJOINING	EHEETS	
***	412	P14	
*11	W-0	wid	
10	4.0	x tr	

MATERIAL PROPERTY.	TO DAY A PLANTAGE OF BUILDING	100	
	SAME HERE A 199		
th th	I count for presence profess which is you and as which there having the your and as which there having the profess that you want a single, it is being to be to be a single, it though the the term give has to prove I cannot be artificially also in this as more and as which there is no this as not written to be not only in the pro- ton when it has not only in the pro- cess to the life of the count of the design series from yet for the solid	- ,	٠,
a the contact of the principles	S sent a hard 2007 set a 6 her. has a neckupy get a de sales sen has a synthese re.	Contract their	
manage XVI BOOK	San Continuent of the Good on and a continuent on the continuent o		200

100	AND DESCRIPTION OF STREET OF		
COLUMN STREET, SQUARE,	me ment Q its		
C0	Figure 5 years pill (II) digits yet for yet at \$100 pt and resoluted (II) at 100 pt at	٠.	
A SWINSTON AND SHAPE	Charles and	200	
the second section is not be	I to report the base of the contract of the base of th	OHEM.	
MARINO .	THE PERSON NAMED IN	-	

